

Identification of Targetable Kinase Alterations in Patients with Colorectal Carcinoma That are Preferentially Associated with Wild-Type RAS/RAF

Jaclyn F. Hechtman, Ahmet Zehir, Rona Yaeger, et al.

Mol Cancer Res 2016;14:296-301. Published OnlineFirst December 11, 2015.

Updated version	Access the most recent version of this article at: doi: 10.1158/1541-7786.MCR-15-0392-T
Supplementary Material	Access the most recent supplemental material at: http://mcr.aacrjournals.org/content/suppl/2015/12/11/1541-7786.MCR-15-0392-T.DC1

Cited articles	This article cites 22 articles, 8 of which you can access for free at: http://mcr.aacrjournals.org/content/14/3/296.full#ref-list-1
Citing articles	This article has been cited by 6 HighWire-hosted articles. Access the articles at: http://mcr.aacrjournals.org/content/14/3/296.full#related-urls

E-mail alerts	Sign up to receive free email-alerts related to this article or journal.
Reprints and Subscriptions	To order reprints of this article or to subscribe to the journal, contact the AACR Publications Department at pubs@aacr.org .
Permissions	To request permission to re-use all or part of this article, use this link http://mcr.aacrjournals.org/content/14/3/296 . Click on "Request Permissions" which will take you to the Copyright Clearance Center's (CCC) Rightslink site.